

Sensors > Temperature Sensors > NTC Thermistors Sensors & Probes > NTC Thermistors



NTC Sensor Type: **Epoxy Coated NTC Thermistor**

Lead Wire Length: **76 mm [2.992 in]**

Resistance (at 25°C): **30 kΩ**

β-Value(25/85): **3942 K**

Tolerance β-Value: **±0.5 %**

Features

Product Type Features

NTC Sensor Type	Epoxy Coated NTC Thermistor
Tolerance β-Value	±0.5 %

Electrical Characteristics

β-Value(25/85)	3942 K
----------------	--------

Dimensions

Lead Wire Length	76 mm[2.992 in]
------------------	-----------------

Usage Conditions

Resistance (at 25°C)	30 kΩ
Operating Temperature Range	125 °C[257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Product Compliance

For compliance documentation, visit the product page on [TE.com >](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)

Candidate List Declared Against: JAN 2024

(240)

Does not contain REACH SVHC

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # GA30K5A1A
DISCRETE 30K OHMS, +/-0.1C FROM 0C TO 70C



TE Part # GA30K5A1IB
DISCRETE 30K OHMS, +/-0.2C FROM 0C TO 70C



TE Part # GA30K5A1IC
DISCRETE 30K OHMS, +/-0.5C FROM 0C TO 70C

Customers Also Bought



TE Part # 1062-16-0177
DEUTSCH Size 16 Crimp Contacts




TE Part # 2-34107-2
SOLIS R 22-16 COMM 22-18 MIL 6



TE Part # 34145
PG R 22-16 COMM 22-18 MIL 8



TE Part # 3-520132-2
ULTRAFAST 250 ASSY FLAG REC 16-14 TPBR



Documents

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_GA30K5A1IA_8.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_GA30K5A1IA_8.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_GA30K5A1IA_8.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Series_II_Termistor_30K5A1I](#)

English