

## MEAS | MEAS MHR

TE Internal #: 02560410-000

TE Internal Description: LVDT MHR 250 ASSY

MINIATURE LIGHTWEIGHT LVDT

View on TE.com >



Sensors > Position Sensors > LVDT/LVIT Sensors > MINIATURE LIGHTWEIGHT LVDT



Linearity Error (Full Range): ±.25 %

Case Material: Stainless Steel

Product Diameter: 9.52 mm [ .375 in ]

Product Shape: Cylindrical
Supply Voltage Range: 3 V

## **Features**

## **Product Type Features**

| Product Shape               | Cylindrical                |
|-----------------------------|----------------------------|
| Configuration Features      |                            |
| Electrical Connection       | Leads                      |
| Electrical Characteristics  |                            |
| Supply Voltage Range        | 3 V                        |
| Signal Characteristics      |                            |
| Excitation Frequency        | 2 - 20 kHz                 |
| Body Features               |                            |
| Case Material               | Stainless Steel            |
| Core Configuration          | Separate Core              |
| Dimensions                  |                            |
| Product Diameter            | 9.52 mm[.375 in]           |
| Usage Conditions            |                            |
| Operating Temperature Range | -55 - 150 °C[-67 - 302 °F] |
| Industry Standards          |                            |
| IP Rating                   | IP61                       |

Other



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant  |
|---|--|
| EU ELV Directive 2000/53/EC                   | Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.   |
| Solder Process Capability                     | Not reviewed for solder process capability   |

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



Also in the Series | MEAS MHR





# Customers Also Bought





















## **Documents**

### **CAD Files**

Customer View Model ENG\_CVM\_CVM\_02560410-000\_R.3d\_stp.zip

English

Customer View Model ENG\_CVM\_CVM\_02560410-000\_R.3d\_igs.zip

English

3D PDF



3D

**Customer View Model** 

ENG\_CVM\_CVM\_02560410-000\_R.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages

Miniature General Purpose AC LVDT

English