




Switches > Slide Switches



Configuration (Pole-Throw): **Single Pole - Double Throw**

Product Orientation: **Right Angle**

Contact Base Material: **Copper Alloy**

Number of Actuators: **Single**

Number of Positions: **2**

Features

Configuration Features

Configuration (Pole-Throw)	Single Pole - Double Throw
Number of Actuators	Single
Number of Positions	2
Operating Function	On None On

Electrical Characteristics

Contact Current Rating	.2 A
Operating Voltage	30 VDC

Body Features

Actuator Orientation	Side
Actuator Travel	2 mm[.079 in]
Product Orientation	Right Angle
Actuator Profile	Extended
Actuator Material	Nylon
Actuator Color	Black



Contact Features

Contact Base Material	Copper Alloy
Switch Contact Plating Material	Silver

Termination Features

Termination Post & Tail Length	2.4 mm[.094 in]
Termination Method to Printed Circuit Board	Through Hole - Solder

Dimensions

Actuator Length	3 mm[.118 in]
Product Width	4.3 mm[.169 in]
Product Length	9.05 mm[.356 in]

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Tray
------------------	------

Other

Grade	Economy
-------	---------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent




chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 1571600-1
SLIDE SWITCH, DP5T 0.5 Amp


Customers Also Bought




TE Part # 2309412-1
DDR4 SODIMM 260P 8.0H RVS




TE Part # 9-2176397-0
3502 5K1 1%




TE Part # 2-2176405-0
3550 10K 5%




TE Part # 2-2176338-1
CRGCQ 0402 2K2 5%




TE Part # 9-2176380-5
RQ 0805 11K 0.1% 10PPM 5K RL




TE Part # 966140-1
AMP MCP Unsealed Headers



TE Part # 8-1971798-1
NEW GI CONN2.5 HDR ASMBLY 8P
NC D1.0



TE Part # 214783-E
EPSVA KS GD-8 TL 10 3,8 SN *
STROMVERSOR



TE Part # 7-1879362-4
RN 0603 30K 0.1% 10PPM CUT
LENGTH

Documents



Product Drawings

SLIDE SWITCH,SPDT,Right Angle

English

CAD Files

Customer View Model

ENG_CVM_CVM_1825232-1_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1825232-1_B1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1825232-1_B1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English