

G-INS-PG16-M68N-PNES-LG - Cable gland

1424489

<https://www.phoenixcontact.com/us/products/1424489>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable gland, material for screw connection: PA, application: Standard, external cable diameter 10 mm ... 14 mm, shielding: no, connecting thread: Pg16, color: lightgrey RAL 7035

Your advantages

- Plastic material conforms to UL 746C f1

Commercial data

Item number	1424489
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BF68
Product key	BF7DCX
Catalog page	Page 687 (C-2-2019)
GTIN	4055626373195
Weight per piece (including packing)	13.6 g
Weight per piece (excluding packing)	12.9 g
Customs tariff number	39269097
Country of origin	TR

G-INS-PG16-M68N-PNES-LG - Cable gland



1424489

<https://www.phoenixcontact.com/us/products/1424489>

Technical data

Mounting

Assembly note	1) Mount screw connection support in the housing using the correct torque 2) Insert cable 3) Tighten union nut using the correct torque
---------------	---

Product properties

Product type	Cable screw gland
Application	Standard
No. of conductors	1
Manufacturer	BIMED
Manufacturer Designation	BS-15
Shielded	no

Data management status

Article revision	00
------------------	----

Dimensions

Dimensional drawing	
Length	44 mm
Length of the connecting thread	10 mm
Hole diameter	22.6 mm ... 22.8 mm
Wrench size, union nut	27 mm
Wrench size, support	27 mm
Hexagon angular dimension	30.8 mm
Thread type connection side	Pg16

Connection data

Tightening torque	5.5 Nm ± 0.5 Nm (Cap nut)
	3.5 Nm (Support sleeve)

Material specifications

Color	light grey (RAL 7035)
Flammability rating according to UL 94	V2
Seal material Cable seal	CR
Material for screw connection	PA

Cable/line

External cable diameter Cable 1	10 mm ... 14 mm
---------------------------------	-----------------

G-INS-PG16-M68N-PNES-LG - Cable gland

1424489

<https://www.phoenixcontact.com/us/products/1424489>



External cable diameter

10 mm ... 14 mm (for UL 514 B)

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66 IP68 (5 bar / 0.5 h)
Enclosure rating (NEMA)	1 4 4X 12 13
Ambient temperature (operation)	-40 °C ... 100 °C (static)

G-INS-PG16-M68N-PNES-LG - Cable gland




1424489

<https://www.phoenixcontact.com/us/products/1424489>

Drawings

Dimensional drawing



Dimensional drawing

G-INS-PG16-M68N-PNES-LG - Cable gland

1424489

<https://www.phoenixcontact.com/us/products/1424489>



Approvals

ⓘ To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1424489>

DNV

Approval ID: TAE00003WX



CSA

Approval ID: 115116



UL Listed

Approval ID: E199260



cUL Listed

Approval ID: E199260

cJLus Listed

G-INS-PG16-M68N-PNES-LG - Cable gland

1424489

<https://www.phoenixcontact.com/us/products/1424489>



Classifications

ECLASS

ECLASS-11.0	27144432
ECLASS-12.0	27140801
ECLASS-13.0	27140801

ETIM

ETIM 9.0	EC000441
----------	----------

UNSPSC

UNSPSC 21.0	39121300
-------------	----------

G-INS-PG16-M68N-PNES-LG - Cable gland

1424489

<https://www.phoenixcontact.com/us/products/1424489>



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

G-INS-PG16-M68N-PNES-LG - Cable gland



1424489

<https://www.phoenixcontact.com/us/products/1424489>

Accessories

A-INL-PG16-P-GY - Counter nut

1411225

<https://www.phoenixcontact.com/us/products/1411225>

Counter nut, for threads Pg16, color: silver-grey RAL 7001



SEALING PLUG 12X22 RD - Closing cap

1400260

<https://www.phoenixcontact.com/us/products/1400260>

Closing cap, color: red



Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com