

Passive Components &gt; Resistors &gt; Surface Mount Resistors &gt; Thick Film Resistor: Current Sense

Resistor Type: **Current Sensing Resistor**Element Type: **Thick Film**Package Size Code: **1206**Power Rating: **.5 W**Resistance Value: **.03 Ω**[All Thick Film Resistor: Current Sense \(177\)](#)

## Features

### Product Type Features

Resistor Type	Current Sensing Resistor
Element Type	Thick Film
Package Size Code	1206

### Configuration Features

Number of Resistors	1
---------------------	---

### Electrical Characteristics

Power Rating	.5 W
Resistance Value	.03 Ω
Resistance Class	Up to 1kΩ
Passive Component Tolerance	5 %

### Termination Features

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

### Dimensions

Product Height	.55 mm [.022 in]
Product Length	3.1 mm [.122 in]
Product Width	1.55 mm [.061 in]

## Usage Conditions

Temperature Coefficient	±400 ppm/°C
-------------------------	-------------

## Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

## Product Compliance


For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

	
TE Part # CAT-C339-R529A Thick Film Resistor: Current Sense	TE Part # 2176050-8 RLP73N 1E R10 5% 5K RL

## Also in the Series | CGS RLP73



Surface Mount Resistors(401)

## Customers Also Bought

TE Part # 3-643228-0  
03P UMNL HDR ASSY R/A 94VO LFTE Part # 640389-6  
06P MTA156 HDR ASSY SQ R/A F/LTE Part # 350786-3  
02P UMNL HDR ASSY AU 94VOTE Part # 350766-1  
03P UMNL PLUG HSGTE Part # MS560702BA03-50  
MS5607-02BA SS CAP ALTIMETER T&RTE Part # 1571983-4  
GDH04S04=DIP SWITCHTE Part # 4-2176307-6  
RP 1E 0.1W 36K5 0.1% 25PPM 5K RLTE Part # 8-6609107-3  
PS0SXSSXB=C1269

## Documents

### CAD Files

[3D PDF](#)
[3D](#)
[Customer View Model](#)
[ENG\\_CVM\\_CVM\\_1-2176056-2\\_BA.2d\\_dxf.zip](#)
[English](#)
[Customer View Model](#)
[ENG\\_CVM\\_CVM\\_1-2176056-2\\_BA.3d\\_jgs.zip](#)
[English](#)
[Customer View Model](#)
[ENG\\_CVM\\_CVM\\_1-2176056-2\\_BA.3d\\_stp.zip](#)
[English](#)

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

RLP73M2BR030JTD

Current Sensing Resistor, Thick Film, 1206, .5 W, .03  $\Omega$ , 5 %,  $\pm 400$  ppm/ $^{\circ}$ C, Solder, 2  
Termination, Height .022 in [.55 mm], CGS RLP73



## SMD Low Ohmic Current Sense Resistors - Type RL73 Series

English